



generic



smart move 2012



generic



GENERIC scooters keep pace with modern scooter design. As one of the leading European two-wheel manufacturers Generic produces innovative vehicle solutions that are functional and provide exceptional driving pleasure.


GENERIC scooters reflect the urban lifestyle. Let Generic take you on an adventure! Enjoy freedom and independence.

> > > smart move 2012



GENERIC E-EPICO 48 VOLT DC

Revolutionary! There's simply no other word to describe the EPICO electric scooter. GENERIC and E-TON joint forces to tear down the last barrier on the way to victory for electric mobility on two wheels: Austrian and Asian engineers and designers developed the first full-size scooter with portable accumulator for the mass market. No garage or charging station needed - just pull out the accumulator and charge it wherever you want: at home, at work,... Join the revolution!



TECHNICAL DATA


ENGINE TYPE	Brushless 48 Volt DC	FINAL DRIVE	Wheel hub motor
BATTERY spec.	48V x 23,8Ah	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2 kW/450 rpm	WHEELS AND TYRES	fr: 120/70-12; rr: 120/70-12
RANGE	≈ 50 km	SEATS	2
TYPE BATTERY	Lithium Ion (portable)	WHEELBASE	1240 mm
WEIGHT	85 kg	DIMENSIONS (length, width, height)	1740 / 678 / 1170 mm



Generic

GENERIC JUMP 50 CC

JUMP - the cheeky rascal. Breezy, sleek and with an extraordinarily ambitious design. Agile and nimble, it goes where you want it to. Give yourself a head start in life - more modern, speedier and reasonably priced than ever before.



black/silver



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,4 kW/6250 rpm	WHEELS AND TYES	fr: 3,50-10; rr: 3,50-10
FULE TANK VOLUME	5,5 ± 0,2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1280 mm
WEIGHT	86 kg	DIMENSIONS (length, width, height)	1730 / 690 / 1150 mm

> > > smart move 2012



GENERIC EPICO 50 CC


Hot in the city!
An affordable city scooter packed with standard equipment including alloy rims, large stowage space, LED rear light, luggage hook, a fold-out pillion footrest, front disc brake, and 4-in-1 ignition lock.



white



red



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2.4 kW/6250 rpm	WHEELS AND TYES	fr: 3,50-10; rr: 3,50-10
FULE TANK VOLUME	4.6 ± 0.2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1290 mm
WEIGHT	84 kg	DIMENSIONS (length, width ,height)	1710 / 690 / 1120 mm



GENERIC

GENERIC CRACKER 50 CC

The CRACKER 50 is one of the most sold scooters in Europe. Agility and comfort, easy handling and reliable quality - the Cracker has all the ingredients to continue its great success.



white



blue



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,2 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,5 kW/6000 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	5,2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1275 mm
WEIGHT	92 kg	DIMENSIONS (length, width ,height)	1845 / 665 / 1130 mm

> > > smart move 2012




GENERIC IDEO 50 CC


The IDEO gives you a summer feeling all year long. An agile, city scooter with class and sophistication that will take you to work, shopping and all your favourite places. The IDEO is fully equipped with navigation lights, fold-out footrests and alloy rims. Timeless elegant the IDEO is your urban fashion accessory!



white



copper



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,2 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2.5 kW/6000 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	5,8 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1300 mm
WEIGHT	100 kg	DIMENSIONS (length, width ,height)	1800 / 690 / 1130 mm



Generic

GENERIC XOR² comp. 50 CC

Dynamic design and European technology!
The racy XOR² Competition is always one step ahead - with hot, red aluminium rims this scooter makes a serious statement. Wave disc brake and sports exhaust add to the racing design.



white



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,5/6500 kw	WHEELS AND TYES	r: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	4 l	SEATS	2
TRANSMISSION	Automatik	WHEELBASE	1275 mm
WEIGHT	96 kg	DIMENSIONS (length, width ,height)	1770 / 702 / 1125 mm

> > > smart move 2012



GENERIC XOR STROKE 50 CC

If you like individuality, the XOR Stroke is yours! The XOR Stroke is totally unique. Sporty design with straight, clear lines the XOR Stroke takes on the appearance of a naked bike. The wide enduro handlebar ensures that you are in control all times.



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,5 kW/6500 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	4 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1275 mm
WEIGHT	96 kg	DIMENSIONS (length, width ,height)	1800 / 750 / 1085 mm



Generic

GENERIC RACE 50 CC /125CC

The RACE is well specified with race bred styling promising pure sporty driving indulgence. The unique carbon look, wave disc brake, sports exhaust, integrated indicators, double lights and many more features give you a head start at the traffic lights.



white



blue



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke/ 4 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,2 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2.90 /5750 / 7,2 kW/ 8000 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	5 ± 0.2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1280 mm
WEIGHT	92 kg / 108 kg	DIMENSIONS (length, width ,height)	1840 / 690 / 1170 mm



GENERIC TOXIC 50 CC

When you were intoxicated with the new TOXIC, healing is simply impossible. Once intoxicated, you'll have the permanent urge to ride it again and again and again. Among the toxic ingredients: aluminium floorboards, clear glass headlights, carbon-look applications etc.



red



white



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,5 kW / 6500 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	5 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1280 mm
WEIGHT	95 kg	DIMENSIONS (length, width ,height)	1740 / 690 / 1160 mm



Generic

GENERIC SIRION

50 CC / 125 CC

My life - my generation - my scooter
The SIRION was developed for people who enjoy their free and independent lives - for people just like you. Wherever you want to go - SIRION takes you there.



white



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke / 4 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm / 125 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2.5/5750 / 7.2 kW/8000 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 130/70-12
FULE TANK VOLUME	5 ± 0.2 l / 6 ± 0.2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1280 mm
WEIGHT	92 kg / 108 kg	DIMENSIONS (length, width, height)	1820 / 695 / 1175 mm

> > > smart move 2012



GENERIC ONYX 50 CC


Pure urban driving pleasure!
The ONYX 50 with sharp lines and elegant chrome styling conveys a cool urban look. The agile ONYX is ideal for zipping around narrow city streets and the larger 16" wheels provide a comfortable ride on uneven road surfaces.



white



silver



anthracite



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,6 kW / 6500 rpm	WHEELS AND TYRES	fr: 80/80-16; rr: 90/80-16
FULE TANK VOLUME	5,5 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1300 mm
WEIGHT	102 kg	DIMENSIONS (length, width ,height)	1895 / 720 / 1140 mm



GENERIC

GENERIC VENDETTA 50 CC

The VENDETTA combines classic design with modern technology, reliable quality and space enough to enjoy your ride with your partner. Round shapes and chrome-applications meet comfortable automatic transmission and economic technology.



white



blue



red



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,5 kW / 7000 rpm	WHEELS AND TYES	fr: 120/70-12; rr: 120/70-12
FULE TANK VOLUME	4,5 ± 0,5 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1330 mm
WEIGHT	95 kg	DIMENSIONS (length, width ,height)	1890 / 679 / 1170 mm

> > > smart move 2012



GENERIC VERTIGO

50 CC / 125 CC

Picture yourself riding through the narrow roads of a Mediterranean town, heading to the sunny beach to celebrate a day full of sun and joy. What scooter could be better than the new VERTIGO, which combines classic lines, modern technology and comfort. Timeless design and totally unique - a matter of good taste.



white



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,9 ccm / 125 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	2,4 / 8500 / 7.2 kW/8000 rpm	WHEELS AND TYES	fr: 90/90-12; rr: 100/90-10
FULE TANK VOLUME	5,2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1250 mm
WEIGHT	100 kg / 102 kg	DIMENSIONS (length, width ,height)	1840 / 690 / 1150 mm



Generic

GENERIC TRIGGER X 50 CC

The new TRIGGER is very impressive. With the enduro TRIGGER X you are well prepared for every adventure. Off-road driving pleasure is guaranteed as this high performance bike handles all types of terrain with ease.



white



blue



green



TECHNICAL DATA


ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,6 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	2,2 kW/6500 rpm	WHEELS AND TYES	fr: 3.0-21; rr: 4.1-18
FULE TANK VOLUME	10 l	SEALS	2
TRANSMISSION	6-Speed	WHEELBASE	1370 mm
WEIGHT	113 kg	DIMENSIONS (length, width ,height)	2060 / 890 / 1230 mm

> > > smart move 2012



GENERIC TRIGGER X comp. 50 CC

This bike lives up to its name! Have this machine tested and it will come out as winner. Off-road riding doesn't come any better than this.



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,6 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	2,2 kW/6500 rpm	WHEELS AND TYES	fr: 3.0-21; rr: 4.1-18
FULE TANK VOLUME	10 l	SEATS	2
TRANSMISSION	6-Speed	WHEELBASE	1370 mm
WEIGHT	113 kg	DIMENSIONS (length, width ,height)	2060 / 890 / 1230 mm




Generic

GENERIC TRIGGER SM 50 CC


You want more? Perfect handling and top performance guarantee pure driving pleasure. With advanced design features, the TRIGGER SM has been styled for the race track.



white



orange



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,6 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	2,2 kW /6500 rpm	WHEELS AND TYES	fr: 100/80-17; rr: 130/80-17
FULE TANK VOLUME	10 l	SEATS	2
TRANSMISSION	6-Speed	WHEELBASE	1360 mm
WEIGHT	113 kg	DIMENSIONS (length, width ,height)	1975 / 890 / 1130 mm

> > > smart move 2012



GENERIC TRIGGER SM comp. 50 CC

You want more? Perfect handling and top performance guarantee pure driving pleasure. With advanced design features, the TRIGGER SM Competition has been styled for the race track. The high specification will appeal to the most experienced riders including wave disc brakes front and rear, upside-down forks, aluminium handlebar and LED indicators.



white



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,6 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	2,2 kW /6500 rmp	WHEELS AND TYES	fr: 100/80-17; rr: 130/80-17
FULE TANK VOLUME	10 l	SEATS	2
TRANSMISSION	6-Speed	WHEELBASE	1360 mm
WEIGHT	113 kg	DIMENSIONS (length, width ,height)	1975 / 890 / 1130 mm




Generic

GENERIC TRIGGER SM ONE 50 CC

The „TRIGGER One“ is a lightweight-version of the successful TRIGGER SM, reduced to those things you really need, but still offering full driving pleasure. Dedicated to those who want to customize their supermotos themselves.



blue



green



TECHNICAL DATA

ENGINE TYPE	Spark ignition 2 stroke	STARTER	Electric & Kick
DISPLACEMENT	49,6 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	2,2 kW /6500 rmp	WHEELS AND TYES	fr: 100/80-17; rr: 130/80-17
FULE TANK VOLUME	10 l	SEATS	2
TRANSMISSION	6-Speed	WHEELBASE	1360 mm
WEIGHT	113 kg	DIMENSIONS (length ,width ,height)	1975 / 890 / 1130 mm

> > > smart move 2012



GENERIC INOX 125 CC


The brand new INOX 125 is the up-to-date interpretation of the underbone motorcycle concept: dynamic design combined with reliable quality. Ready to be there for you and your family: today, tomorrow, forever,...



white



silver



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric & Kick
DISPLACEMENT	125 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	6.5 kw/8000 rpm	WHEELS AND TYES	fr: 70/90-17; rr: 80/90-17
FULE TANK VOLUME	4,8 ± 0,5 l	SEATS	2
TRANSMISSION	5 Speed semiautomatic	WHEELBASE	1300 mm
WEIGHT	110 kg	DIMENSIONS (length, width ,height)	1970 / 720 / 1110 mm



GENERIC

GENERIC SOHO 125 CC / 150 CC


The SOHO is as edgy as the districts of London and New York after which it is named. The powerful 4-stroke, water-cooled engine takes you effortlessly through city traffic and out onto the open road. Simply twist and go!



white



silver



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric
DISPLACEMENT	125 ccm / 151 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	8,9/8250 / 9,6 kW/7500 rpm	WHEELS AND TYES	fr: 100/80-16; rr: 120/80-16
FULE TANK VOLUME	7.4±0,2 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1320 mm
WEIGHT	130 kg	DIMENSIONS (length, width ,height)	2050 / 705 / 1315 mm



GENERIC ZION

125 CC / 150 CC

GENERIC goes GT!. The ZION 125 is packed with all the features that a city scooter needs. Standard equipment includes alloy rims, large storage area, disc brakes front and rear, a modern, water-cooled automatic engine, a clear cockpit, fold-out pillion footrests, 4-in-1 ignition lock and much more.


This comfortable, agile scooter will move you easily through city traffic.




white



silver



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric
DISPLACEMENT	125 ccm / 151 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	9/8250 / 9,5 kw/8250 rpm	WHEELS AND TYES	fr: 120/70-15; rr: 140/70-14
FULE TANK VOLUME	8,6 l	SEATS	2
TRANSMISSION	Automatic	WHEELBASE	1415 mm
WEIGHT	146 kg	DIMENSIONS (length, width ,height)	2075 / 755 / 1350 mm



GENERIC

GENERIC WORX

125 CC / 150 CC

Riding the new WORX turns commuting into pure pleasure! No matter how long and crowded your ways are - a WORX is the best mean to enjoy the freedom on two wheels and starting every morning 100% motivated.



white



silver



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric
DISPLACEMENT	125 ccm / 148 ccm	BRAKES (front/rear)	Disc/Drum
MAXIMUM POWER	8,4/8500 / 9,0 kW/8500 rpm	WHEELS AND TYES	fr: 90/90-17; rr: 110/80-17
FULE TANK VOLUME	16±0,5 l	SEATS	2
TRANSMISSION	5 - Speed	WHEELBASE	1260 mm
WEIGHT	132 kg	DIMENSIONS (length, width ,height)	2040 / 780 / 1070 mm

> > > smart move 2012




GENERIC CODE

125 CC / 150 CC / 200 CC


Durable like a mule but hot like a tigress - CODE captivates you with sporty equipment like ??? and convinces you with high quality. Reliability and fun have never been so close together.



white



blue



black



TECHNICAL DATA

ENGINE TYPE	Spark ignition 4 stroke	STARTER	Electric
DISPLACEMENT	124,5 ccm / 148 ccm / 200 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	8,2/9000 / 8,7/8500 / 9,2/8500 kw	WHEELS AND TYES	fr: 110/80-17; rr: 130/70-17
FULE TANK VOLUME	17±0,5 l	SEATS	2
TRANSMISSION	5 - Speed	WHEELBASE	1330 mm
WEIGHT	135 kg	DIMENSIONS (length, width ,height)	2090 / 830 / 11330 mm




GENERIC

GENERIC TR 125 CC

High-Performance and high-speed - developed and designed in Austria. The TR 125 SM is GENERIC's first motorcycle with the brand new, watercooled 125 cm³-EFI-engine, developed by GENERIC's R&D department in Austria. Pure power, sporty design and low fuel consumption make you and your race machine to heroes of the road.



blue



black



TECHNICAL DATA

ENGINE TYPE	EFI, 4 stroke, liquid cooled	STARTER	Electric
DISPLACEMENT	124,4 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	11 kW/9000 rpm	WHEELS AND TYES	fr: 100/80-17; rr: 130/80-17
FULE TANK VOLUME	7,5 l	SEATS	2
TRANSMISSION	6 - Speed	WHEELBASE	1385 mm
DRY WEIGHT	139 kg	DIMENSIONS (length, width ,height)	2030 / 845 / 1120 mm

> > > smart move 2012



GENERIC 600 CC

GENERIC enters the market for big motor cycles with a sensational 600 cc naked bike! Austrian, Italian and Asian engineers and designers joint together to develop the brand new GENERIC 600. A 4-cylinder-engine with 16 valves, aggressive Italian design and high value for money make GENERIC 600 the best offer in this class.



white




TECHNICAL DATA

ENGINE TYPE	4 stroke, air cooled, 4 Cylinder	STARTER	Electric
DISPLACEMENT	600 ccm	BRAKES (front/rear)	Disc/Disc
MAXIMUM POWER	60/11000 kw	WHEELS AND TYES	fr:120/70 ZR 17; rr:120/70 ZR 17
FULE TANK VOLUME	21 l	SEATS	2
TRANSMISSION	6-Speed	WHEELBASE	1480 mm
DRY WEIGHT	220 kg	DIMENSIONS (length, width ,height)	2120 / 800 / 1100 mm



generic



GLOBAL DISTRIBUTION
ADDRESS
TELEPHONE
FAX
E-MAIL
HOMEPAGE

KSR Group GmbH
Gewerbeparkstr. 11, 3500 Krems , Austria
+43 2732 74747 0
+43 2732 74747 40
office@generic europe.com
www.generic europe.com

COMPANY
ADDRESS
TELEPHONE
FAX
E-MAIL
HOMEPAGE

Generic Motor GmbH
Gewerbeparkstr. 11, 3500 Krems , Austria
+43 2732 72424 0
+43 2732 74747 40
office@generic europe.com
www.generic europe.com